This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



DISCLOSURE NO. IC99001

		IVENT	OMO	,		•					
	Α.	Name_	<u> I-Te</u>	h Sha		Initials	\$\frac{1}{2}	Empl. No.		Ext. No	
		Citizen	ship	Taiwan		_ Dept #		Но	me Phone	No.	라 요. 크카
_								100 50			CA 950.
	B.							Empl. No.			
		Citizens	ship <u>(</u>	USA		Dept #		Ho	me Phone	No.	
		Home N	⁄lailing	Address 2	0489	Chale	A Lan	e, Sa	ratog	a, Ci	1950
	C.							Empl. No.			
		Citizens	ship	Taiwa	27	_ Dept #		Но	me Phone	No.	
		Home N	/failing	Address/	13901	River	Ranch	Circle	, sari	rtega	CA 3
	D.	Name_				_ Initials		Empl. No	E	xt. No	
								Но			
				Address							
2.	••	ILE O	F IN V	VENTION				OVERSHOTRUM TE			NG A
				VENTION	FC						NG A
3.	CC	ONCEP	TION		FC ENTION						NG A
3.	CC A. I	ONCEP	TION	N OF INV	FC ENTION vings	OR SPRE		TRUM TE			NG A
3.	CC A. I	ONCEP Date of fi	TION rst drav in first	N OF INV	FC ENTION vings found?	OR SPRE	AD SPEC	TRUM TE			NG A
3.	C C A. I	ONCEP Date of fi Where ca Date of fi	TION rst drav in first rst writ	N OF INV wing or draw	FOENTION vings found?	Engine	AD SPEC	FRUM TF			NG A
3.	CC A. I	ONCEP Date of fi Where ca Date of fi Where ca	TION rst draw in first rst writ in descr	N OF INV wing or draw drawing be	FOENTION vings found? ion und?	Engine	AD SPEC	FRUM TF			NG A
3.	A. I B. I	ONCEP Date of fi Where ca Date of fi Where ca	TION rst draw in first rst writ in descr	N OF INV wing or draw drawing be tten descripti ription be fo	FOENTION vings found? ion und?	Engine Engine	eering notebo	FRUM TF			NG A
3.	A. I B. I	ONCEP Date of fi Where ca Date of fi Where ca To whom	TION rst draw in first rst writ in descr	N OF INV wing or draw drawing be tten descripti ription be fo	FOENTION vings found? ion und?	Engine Engine	eering notebo	FRUM TF			NG A
3.	C. I.	ONCEP Date of fi Where ca Date of fi Where ca To whom ((s)	TION rst draw in first rst writ in descr	N OF INV wing or draw drawing be tten descripti ription be fo	FOENTION vings found? ion und?	Engine Engine	eering notebo	CRUM TF	RANSIT		NG A
3.	C. E. c. ntor	Date of fi Where ca Date of fi Where ca Date of fi To whom ((s)	TION rst draw in first rst writ in descr	N OF INV wing or draw drawing be tten descripti ription be fo	FOENTION vings found? ion und?	Engine Engine	eering notebo	DOKS DOKS	Date		NG A
Inve	C. I.	Date of fi Where ca Date of fi Where ca Date of fi To whom (s) (s) (s)	TION rst draw in first rst write in descri	N OF INV wing or draw drawing be tten descripti ription be fo	FOENTION vings found? ion und? o others Kuang-Yu C	Engine Engine	eering notebo	DOKS DOKS	Date		NG A 199 129




4.	CONSTRUCTION OF DEVICE	
	A. Date completed B. Was prototype made? C. By whom made? D. Were can the prototype be found?	y y
5.	TEST OF DEVICE	,
	A. Date: Witnes	s(es): Kuang-Yu Chen
	B. Results: Sucressful	
	SALE	
	 A. Was invention sold or offered for sale? Yes No B. Was invention used to make, assemble or test a commercial properties. C. Will invention be sold, offered for sale, sampled, or used to make Yes X No D. Actual or estimated date of first sale, offer or commercial use E. Is invention part of a product for which there is a data sheet? Yes attach a copy of the data sheet) F. Actual or estimated date of publication, release or availability 	roduct? Yes
	USE	
3.	A. Is invention presently being used? Yes	Hucts or processes? Hed in the fam. TENT APPLICATIONS
) <u>.</u> (WAS INVENTION: Conceived (Yes _X_ (No Construct) (No during performance of Government Contract?	ucted (Yes <u>X</u> (No <u>Tested (Yes X</u>
	ntor(s) 1 - The sh-	
ivei	1101(3)	Date
	ntor(s)	Date $\frac{1/3 - 187}{7 \beta 0 / 9 9}$
iver	ntor(s) Albert then	Date $\frac{2/3 - 187}{7/30/99}$ Date $\frac{9}{9}$
iver iver	ntor(s) Albert her essed, Read, and Understood by:	Date <u>1/30/88</u>

CYPRESS SEMICONDUCTOR


	CTTRESS SEMICONDUCTOR INVENTION DISCL	USURE FORM
	Contract Number	
	(Give Full Contract Number)	
giv	e description of invention should be written in the inventor's own words and gentern below. Sketches, prints, photos, and other illustrations, as well as memos or relention is referred to, if available, should form a part of this disclosure and refere scriptions of the invention's construction and operation.	eports of any nature in which the
	OR ANSWERS TO THE FOLLOWING QUESTIONS, USE THE REET AND THE ATTACHED SHEET(S).	HE REMAINDER OF
1.	General purpose of invention. State in general terms the objects of the invention	n.
	To decrease the overshoot or undershoot in a PLL's frequency during the turn of This invention solves unpredictable transition period which could cause a CPU spectrum transitions on or off.	on or turn off of spread spectrum to hang when the spread
2.	Describe old technology, if any, for performing the function of the invention. P	rovide references, if available.
	This problem has never been solved.	
3.	Indicated the disadvantages of the old technology.	
	No solution has been considered to spread spectrum transition behavior. Most unpredictably. Now it is controllable by programming and circuitry	of time, the transition happens
4.	Describe your invention and its construction, showing the changes, additions are method.	nd improvements over the old
Inv	entor(s) 1- The sh	Date <u>7/3 = 199</u>
Inv	entor(s)	Date 7/35/99
Inve	entor(s) Albert Clun	Date <u>2/30/88</u>
Wit	nessed. Read, and Understood by:	Date
Wit	nessed. Read. and Understood by:ch page upon which information is entered should be signed and witnessed.)	Date
(Ea	on page upon which information is entered should be signed and witnessed.)	

1. Schematic

OLD





NEW



Inventor(s) 11- The st	Date 7/2-127
Inventor(s) fr f. e.l	Date 7/30/99
Inventor(s) Albert Chen	Date 7/30/89
Witnessed, Read, and Understood by:	Date
Witnessed, Read, and Understood by:	Date

(Each page upon which information is entered should be signed and witnessed.)





CYPRESS SEMICONDUCTOR

CYPRESS SEMICONDUCTOR INVENTION DISCLOSURE FORM

- 3. Formula
 - A. Using the following formula to generate Spread Spectrum ROM code

$$\begin{bmatrix} X_{2}(N+1) \\ X_{2}(N+1) \\ X(N+1) \end{bmatrix} = \begin{bmatrix} 0 & -\frac{VCO}{FBD(N+1)} & 0 \\ \frac{CP}{C} & \frac{1}{C_{1} \cdot R_{1}} & \frac{1}{C_{1} \cdot R_{1}} & \frac{1}{V_{2}(N)} \\ 0 & \frac{1}{C_{2} \cdot R_{1}} & \frac{1}{C_{2} \cdot R_{2}} \end{bmatrix} \begin{bmatrix} X_{3}(N) \\ X_{2}(N) \end{bmatrix} * \Delta t(N+1) \begin{bmatrix} U_{3}(N+1) \\ U_{3}(N+1) \end{bmatrix} * \Delta t(N) + \begin{bmatrix} X_{3}(N) \\ X_{3}(N) \end{bmatrix}$$

R=40 k at SSCG off R=24 k at SSCG on

 $\operatorname{U}_1(N)$ is changed when SSCG switches OFF-ON or ON-OFF


B. Input $\mathsf{FBD}(N)$ to PLL 's transient program that optimize the $\mathsf{FBD}(N)$ order in ROM address.

C.

Inventor(s) 1-1-4-5L	Date	2/3 = /92
Inventor(s)	Date	7/30/99
Inventor(s) Albert Chen	Date	7/30/98
Witnessed, Read, and Understood by:	Date	
Witnessed. Read, and Understood by:(Each page upon which information is entered should be signed and witnessed.)	Date	








Inventor(s) 21- The Sh	Date	2/30/89
Inventor(s)	Date	7/30/99
Inventor(s) Albert Clan	Date	7/30/98
Witnessed, Read, and Understood by:	Date _	
Witnessed, Read, and Understood by: (Each page upon which information is entered should be signed and witnessed.)	Date _	



5. Simulated and measured results



PCL's undershoot and overshoot behavior in spread spectrum transation



(a) Simulation (b) Measured results in off-or transition (a) Simulation (b) Measured results in on-off transition

Inventor(s) 1 - Whi sh	Date	1/30 /89
Inventor(s)	Date	7/30/99
Inventor(s) Albert Chen	Date	7/36/89
Witnessed. Read, and Understood by:	Date	
Witnessed. Read, and Understood by: (Each page upon which information is entered should be signed and witnessed.)	Date	



- 5. Give details of its operation (i.e., how is your invention used?), if not already described under 4.
- 6. State the advantages of your invention over what has been done before.

The transient behavior of a spread spectrum can be fully controllable. It prevents PLL's overshoot or undershoot from switching ss on or ss off.

- 7. Indicated any alternate component(s) and/or method(s) of construction.
- 8. If a joint invention, indicate what contribution was made by each inventor.

I-Teh Sha	Implement puis steady state and transition model the concept of ROM code Shifting to improve SSCG'S transition behavior
Kuang-Yu Chen	The Concept of ROM Code Shitting to improve SSCG'S transition behavior
Albert Chen	Synchronized circuitry and layout implement.

- 9. Describe the features that are believed to be new.
 - 1. FORTRAN program is used to determine transient and steady-state spread spectrum behavior.
 - 2. All dividers and prescalers are synchronized.
 - 3. Transient behavior is simulated starting from steady-state condition
- 10. State opinion of relative value of invention.

This invention will apply to most of the existing spread spectrum devices. For spread spectrum applications, all EMI reduction chips need to add this invention in order to avoid CPU clock tracking failure during spread spectrum on-off or off-on transition.

	withesses in the space provided at the bottom of each sheet.	
	witnesses in the space provided at the bottom of each sheet.	
11.	After the discrosure is prepared, it should be signed by the inventor(s) and then read and signed by two	

Inventor(s) 1 - Tela Sh	Date	7/30/89
Inventor(s)	Date	7/30/99
Inventor(s) Alhant Chien	_ Date	7/30/88
Witnessed, Read, and Understood by:	Date _	
Witnessed. Read. and Understood by: (Each page upon which information is entered should be signed and witnessed.)	Date _	